				1 = :
L Number	Hits	Search Text	DB	Time stamp
	33	(memory near3 map\$3) with (power near2	USPAT	2004/05/25
	2	<pre>(manag\$5 or conserv\$5 or mode or modes)) ((chang\$3 or alte\$4 or adjust\$3 or</pre>	USPAT	10:35 2003/03/13
-	2	switch\$3) near2 (memory adj2 map\$3))	USPAI	11:07
1		near5 power		11.07
_	1	(Super adj2 State) adj2 (code or	USPAT	2003/03/13
	_	microcode)		11:28
_	22		USPAT	2003/03/13
		"4709324"   "4757505"   "4768149"		11:08
		"4860005"   "4930065"   "4930068"		
		"4964121"   "5109521"   "5129091"		
		"5167024"   "5201059"   "5247164"		
		"5274791"   "5349688"   "5392457"     "5404546"   "5406064"   "5410714"		
		3404540   3400004   3410714     "5515539").PN.		
_	l 0	6125412.URPN.	USPAT	2003/03/13
				11:08
-	81	(Chips near2 Technolog\$4).as.	USPAT	2003/03/13
				15:12
-	374	Super adj2 State	USPAT	2003/03/13
	_	//Ghina nana maska 3	*****	11:28
-	1	((Chips near2 Technolog\$4).as.) and	USPAT	2003/03/13
_	13	(Super adj2 State) (peripheral near6 (memory near2 map\$3))	USPAT	11:28
	13	same power	221VI	17:07
-	0	(peripheral near6 (memory near2 (remap\$3	USPAT	2003/03/13
		or re-map\$3))) same power		11:58
-	4	("4030073"   "4591982"   "4736290"	USPAT	2003/03/13
	_	"4926322").PN.		12:02
-	8	5274791.URPN.	USPAT	2003/03/13
_	l 0	(redirect\$3 near3 peripheral) with (power	USPAT	12:02   2003/03/13
_	I	near3 (sav\$3 or conserv\$ or manag\$4))	OSPAI	15:19
-	0		USPAT	2003/03/13
		near3 (sav\$3 or conserv\$ or manag\$4))		15:15
-	29	((disabl\$3 or off or shutdown) near3	USPAT	2003/03/20
		peripheral) with (power near3 (sav\$3 or		14:55
	1.0	conserv\$ or manag\$4))	110000	2002/02/12
-	12	((access3 or communicat\$3) near3 peripheral) with (power near3 (sav\$3 or	USPAT	2003/03/13 15:26
		conserv\$ or manag\$4))		13.20
-	38		USPAT	2003/03/13
				15:48
-	418	((queu\$3 or buffer\$3) near2 (information	USPAT	2003/03/20
		or data)) near5 power		14:56
-	36		USPAT	2003/03/13
_	35	or data)) near5 power) with periphera\$2 ((queu\$3 or buffer\$3) near2 (information	USPAT	15:50 2003/03/13
	35	or data)) near5 (power near2 (sav\$3 or	USERI	15:52
		manag\$5 or reduc\$3))		
-	10	("4647721"   "4675537"   "4731549"	USPAT	2003/03/13
		"4747041"   "4794525"   "5214785"	<u>,</u>	15:58
		"5321428"   "5347167"   "5359540"	,	
	_	"5477476").PN.	HCDAM	2002/02/12
-	6	5594672.URPN.	USPAT	2003/03/13 15:56
_	32	(((gueu\$3 or buffer\$3) near2 (information	USPAT	2003/03/13
		or data)) near5 (power near2 (sav\$3 or		15:56
		manag\$5 or reduc\$3))) not (((queu\$3 or		
		buffer\$3) near2 (information or data))		
		near5 power) with periphera\$2)		
I -	38	5339437.urpn.	USPAT	2003/03/17
1_	3	//buffer near/ /data on information\\	USPAT	13:56
1	3	((buffer near4 (data or information)) near5 peripheral) with (sleep or suspend	OSPAI	2003/03/17
		or (power adj2 down))		11.00
-	2	intercept\$3 near5 peripheral near5 power	USPAT	2003/03/17
				14:18
-	837	intercept\$4 with (peripheral or	USPAT	2003/03/17
		peripherals)	L	14:33

Search History

5/25/04 4:34:15 PM

	-	14	(intercept\$4 with (peripheral or	USPAT	2003/03/17
١.	_	64	peripherals)) with power intercept\$4 with (peripheral or	USPAT	14:20   2003/03/17
		04	peripherals) with (information or data or	OSFAI	14:59
			writes)		
	-	3426		USPAT	2003/03/20
i			(information or data) near4 (peripheral		15:26
┨.	_	66	or peripherals) ((buffer\$3 or stor\$3 or sav\$3) near4	USPAT	2003/03/17
			(information or data) near4 (peripheral		14:54
			or peripherals) ) with power		
	-	12	((buffer\$3 or stor\$3 or sav\$3) near4	USPAT	2003/03/17
			(information or data) near4 (peripheral or peripherals) ) with (suspend\$3 or		14:52
			sleep\$3 or hibernat\$3 or (power adj2		
			down))		
-   -	-	61	(((buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral	USPAT	2003/03/17 14:54
			or peripherals) ) with power) not		14:54
			(((buffer\$3 or stor\$3 or sav\$3) near4		
			(information or data) near4 (peripheral		
			or peripherals) ) with (suspend\$3 or sleep\$3 or hibernat\$3 or (power adj2		
			down)))		
.	-	0	(queu\$3 with (peripheral or peripherals)	USPAT	2003/03/17
			with (information or data or writes))		15:01
1.	_	1	with power (queu\$3 with (peripheral or peripherals)	USPAT	2003/03/17
		_	with (information or data or writes))	OSIAI	15:02
			same power		
'	-	180		USPAT	2003/03/17
1.	_	85	with (information or data or writes) (queu\$3 with (peripheral or peripherals)	USPAT	15:02   2003/03/20
1		00	with (information or data or writes)) and		14:55
		_	power		
1.	-	0	rerout near3 peripheral	USPAT	2003/03/17   15:36
.	_	122	printer adj2 queue	USPAT	2003/03/17
					15:36
-	-	1	(updat\$3 near4 context) with (power)	USPAT	2003/03/17
Ι.	_	22	   ("5075875"   "5084875"   "5164842"	USPAT	15:36   2003/03/17
			"5214772"   "5220566"   "5220674"		16:31
			"5226112"   "5247623"   "5268993"		
			"5271065"   "5297246"   "5303336"     "5323393"   "5333286"   "5353388"		
			"5361265"   "5371837"   "5438528"		
			"5559933"   "5580177"   "5699494"		
		154	"6052204").PN.	Hennm	2003/03/17
	_	154	(power adj2 (sav\$3 or conserv\$5 or reduc\$3)) with printer	USPAT	16:32
-	_	67	(power adj2 (sav\$3 or conserv\$5 or	USPAT	2003/03/17
		_	reduc\$3)) near3 printer	IICDAM	16:34
'	-	0	<pre>framebuffer near5 (rerout\$3 or redirect\$3)</pre>	USPAT	2003/03/18   11:06
.	_	0	· ·	USPAT	2003/03/18
			or reduc\$4 or sav\$3))		11:17
'	-	15	(frame adj2 buffer) with (power near3 (conserv\$5 or reduc\$4 or sav\$3))	USPAT	2003/03/18 11:20
.	-	114	virtual near5 (frame adj2 buffer)	USPAT	2003/03/18
			-		13:30
	-	8547	frame adj2 buffer	USPAT	2003/03/18 13:31
.	_	98	   (frame adj2 buffer) with ((power\$3 adj2	USPAT	2003/03/18
			(off or down)) or disabl\$3)	32	13:37
-	-	7	(frame adj2 buffer) with ((power\$3 adj2	USPAT	2003/03/18
	_	4	(off or down)))   ("5167024"   "5321806"   "5402148"	USPAT	13:37 2003/03/18
		4	("5167024"   "5321806"   "5402148"   "5408639").PN.	OPENI	14:01
-	-	4	5619707.URPN.	USPAT	2003/03/18
L					14:01

-	1	5963219.URPN.	USPAT	2003/03/18 14:16
_	1	5963219.URPN.	USPAT	2003/03/18
		(#5126605#   #5167024#   #5210607#		14:16
-	14	("5136695"   "5167024"   "5218607"     "5369771"   "5392438"   "5442800"	USPAT	2003/03/18 14:17
		"5465367"   "5524249"   "5537650"		
		"5560024"   "5572655"   "5615376"   "5619707"   "5625826").PN.		
-	3036		USPAT	2003/03/18
		storage)		15:31
-	18	(alternate adj2 (location or memory or storage)) near5 power	USPAT	2003/03/18 15:55
-	872	(send\$3 or transfer\$3 or direct\$3) near4	USPAT	2003/03/18
	69609	only near4 available tempor\$5 near3 (stor\$3 or sav\$3 or	USPAT	16:00 2003/03/18
1	09009	buffer\$3)	OSPAI	16:06
-	0	(((==================================	USPAT	2003/03/18
· ·		near4 only near4 available) with power) with ("not" adj2 (on or available))		15:59
-	19	((send\$3 or transfer\$3 or direct\$3) near4	USPAT	2003/03/18
	404	only near4 available) with power (send\$3 or transfer\$3) near4 only near4	TICDAM.	15:59 2003/03/18
	1 404	available	USPAT	16:04
-	0	(send\$3 or transfer\$3) near4 only near3 "when" near3 available	USPAT	2003/03/18
-	0	"when" near3 available   (send\$3 or transfer\$3) with (only adj3	USPAT	16:03   2003/03/18
	_	"when" adj3 available)		16:04
-	5	((send\$3 or transfer\$3) near4 only near4 available) with peripheral\$1	USPAT	2003/03/18 16:04
-	708	(tempor\$5 near3 (stor\$3 or sav\$3 or	USPAT	2003/03/18
_	325	buffer\$3)) with peripheral\$1   (tempor\$5 near3 (stor\$3 or sav\$3 or	USPAT	16:05   2003/03/20
	323	buffer\$3)) with ((instructions or data or	OSPAI	15:01
		information) near6 peripheral\$1)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2002/02/10
-	2	((tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or	USPAT	2003/03/18
		information) near6 peripheral\$1)) and		
_	7	713/320-324.ccls. ((tempor\$5 near3 (stor\$3 or sav\$3 or	USPAT	2003/03/18
	,	buffer\$3)) with ((instructions or data or	OSIMI	16:09
		information) near6 peripheral\$1)) with power		
_	185		USPAT	2003/03/18
		buffer\$3)) and 713/320-324.ccls.	110 D 2 M	16:14
-	)	((tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with peripheral\$1) and	USPAT	2003/03/18 16:19
		713/320-324.ccls.		
-	4901	re-direct\$3 or re-rout\$3	USPAT	2003/03/18 16:19
-	692		USPAT	2003/03/18
_	0	information or instructions) (re-direct\$3 or re-rout\$3) with ("not"	USPAT	16:20 2003/03/18
		adj2 (available or on))	JULAI	16:21
-	3	, ,	USPAT	2003/03/18
		information or instructions)) with peripheral\$1		16:21
-	146	(re-direct\$3 or re-rout\$3) with	USPAT	2003/03/18
-	1	((available or on)) ((re-direct\$3 or re-rout\$3) with	USPAT	16:34 2003/03/18
		((available or on))) and 713/\$.ccls.		16:22
-	1	4716543.pn.	USPAT	2003/03/18 17:00
-	55	chan.xp. and digital.as.	USPAT	2003/03/18
	6042	map\$3 near5 (alternate or different or	USPAT	17:12 2003/03/20
	0042	auxilliary)	OJINI	14:59
-	33	1 , • ,	USPAT	2003/03/18
		auxilliary)) with (unavailable or off or disabled)		17:16
-	111	(map\$3 near5 (alternate or different or	USPAT	2003/03/18
L	l	auxilliary)) and 713/\$.ccls.		17:20

-	3	(map\$3 near5 (alternate or different or auxilliary)) and 713/320-324.ccls.	USPAT	2003/03/18 17:20
-	3	(power adj2 manag\$3) with ((network adj2	USPAT	2003/03/19
-	2	(card or controller)) or NIC) (memory near3 map\$3) with (power near2	EPO; JPO	14:30 2003/03/20
_	1	<pre>(manag\$5 or conserv\$5 or mode or modes)) ((disabl\$3 or off or shutdown) near3 peripheral) with (power near3 (sav\$3 or</pre>	EPO; JPO	14:54   2003/03/20   14:55
_	0	conserv\$ or manag\$4)) (queu\$3 with (peripheral or peripherals)	EPO; JPO	2003/03/20
	0.0	with (information or data or writes)) and power	770	14:55
_	86	((queu\$3 or buffer\$3) near2 (information or data)) near5 power	EPO; JPO	2003/03/20 14:56
_	461	map\$3 near5 (alternate or different or auxilliary)	EPO; JPO	2003/03/20 14:59
_	42	<pre>(tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or information) near6 peripheral\$1)</pre>	EPO; JPO	2003/03/20 15:02
-	24		IBM_TDB	2003/03/20 15:26
-	105	alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))	USPAT	2003/12/01
-	65	(alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))) and g06f\$.ipc.	USPAT	2003/12/01 16:48
-	14	(alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))) and (power	USPAT	2003/12/01 17:04
-	6	near3 (sav\$3 or reduc\$5 or conserv\$5)) (alternate adj2 (memory near2 (location\$1	USPAT	2003/12/01
-	6411	or address\$1 or space\$1))) same power video adj1 (ram or memory)	USPAT	17:04 2003/12/10
-	256	(video adj1 (ram or memory)) near3 map\$3	USPAT	15:56   2003/12/10   15:57
-	0	((video adj1 (ram or memory)) near3 map\$3) and 713/3\$.ccls.	USPAT	2003/12/10 15:57
_	163	(video adj1 (ram or memory)) and 713/3\$.ccls.	USPAT	2003/12/10 16:17
-	654	(framebuffer or (frame adj1 buffer)) with updat\$3	USPAT	2003/12/10 16:26
-	2	((framebuffer or (frame adj1 buffer)) with updat\$3) and 713/32\$.ccls.	USPAT	2003/12/10 16:30
-	205	((framebuffer or (frame adj1 buffer)) with updat\$3) with (RAM or memory)	USPAT	2003/12/10 16:30
-		(framebuffer or (frame adj1 buffer)) with (rerout\$3 or redirect\$3)		2003/12/10 16:26
_	1	(((framebuffer or (frame adj1 buffer)) with updat\$3) with (RAM or memory)) and 713/32\$.ccls.	USPAT	2003/12/10 16:49
-	15	("5675808"   "5752045"   "5781496"   "5781768"   "5804749"   "5835435"	USPAT	2003/12/10 16:31
		"5907330"   "6067083"   "6073223"     "6079025"   "6112310"   "6177946"     "6209075"   "6263448"   "6292201").PN.		
-	22	(temporar\$5 near2 (sav\$3 or stor\$3)) with (power\$3 adj1 off)	USPAT	2003/12/10 17:09
-	173		USPAT	2003/12/10 17:02
-	0	(redirect\$3 or rerout\$3) with ((while or during) near3 (power\$3 adjl off))	USPAT	2003/12/10 16:58
-	40		USPAT	2003/12/10 16:58
-	1	((sav\$3 or stor\$3) with ((while or during) near3 (power\$3 adjl off))) with intend\$3	USPAT	2003/12/10 17:02
-	374	(peripheral near6 (memory near2 map\$3))	USPAT	2003/12/10 17:07
-	0	<pre>((peripheral near6 (memory near2 map\$3))) same (power\$3 adj1 (down or off))</pre>	USPAT	2003/12/10 17:08
	0		USPAT	

	0	(====================================	USPAT	2003/12/10
		adj2 (off or down))		17:08
-	7567		USPAT	2003/12/10
		hold\$3)) with (during or while or when)		17:15
<b>-</b>	28		USPAT	2003/12/10
		hold\$3)) with (during or while or when))		17:11
		and 713/3\$.ccls.		
<del></del>	0	(temporar\$5 near2 (sav\$3 or stor\$3 or	USPAT	2003/12/10
		hold\$3)) with ("not available")		17:15
-	49	(temporar\$5 near2 (sav\$3 or stor\$3 or	USPAT	2003/12/11
		hold\$3)) with (unavailable or "not		10:24
		available")		
_	41	(temporar\$5 near2 (sav\$3 or stor\$3 or	USPAT	2003/12/11
1		hold\$3)) with (power near2 (state\$1 or		13:32
		mode\$1))		
_	1 1	sakai.in. and acpi	USPAT	2004/05/20
	_	Tanal and wake	32	13:20
l <u> </u>	223	(power\$3 adj2 down) near3 peripheral\$1	USPAT	2004/05/25
	223	(powerys days down, nears peripheraly)	001111	10:35
_	127	(power\$3 adj2 off) near3 peripheral\$1	USPAT	2004/05/25
	+-'	(powerys days off) hears peripherarys	051711	10:36
l <u> </u>	l 8	((power\$3 adj2 down) near3 peripheral\$1)	USPAT	2004/05/25
	l	same ((power\$3 adj2 off) near3	OSIAI	10:50
		peripheral\$1)		10.50
l _	104	1	USPAT	2004/05/25
	104	scallaby hears peripherar	OSPAI	10:51
	2416	off near3 peripheral	USPAT	2004/05/25
-	2410	OIL Heal'S peripheral	USPAI	10:51
l _	5	(standby near3 peripheral) same (off	USPAT	2004/05/25
-		near3 peripheral)	USPAI	11:17
_	1640		USPAT	2004/05/25
-	1 1040	/13/329.0018.	USPAI	11:17
	459	713/324.ccls.	USPAT	2004/05/25
-	459	/13/324.0018.	OSPAI	
	٠,	712/224 gglg and /naninhanal rith /	HCDAM	11:17
-	89		USPAT	2004/05/25
		or state))	TTG D D M	15:16
_	0	713/32\$.ccls. and (framebuffer\$1)	USPAT	2004/05/25
	l	712/204		15:16
_	45	713/32\$.ccls. and (frame adj buffer\$1)	USPAT	2004/05/25
	_	312/224		15:16
_	1	1,,,,,,,,,	USPAT	2004/05/25
		buffer\$1).ti.		15:16